


Dátový list pre produkt: IG713708--

Súprava nástenného rámu a IL900070-B

pre IL900070-B



Technické informácie

Šírka (mm)	210,00
Výška (mm)	370,00
Hĺbka (mm)	49,00
Hmotnosť (kg)	0,99
EAN kód	9004840985016
Stratový výkon (W)	-10,00
Min. teplota okolia (°C)	-25
Max. teplota okolia (°C)	65
Región	Voralberg Viedeň
Príslušenstvo	svorkovnica pre elektromery
Základný popis	svorka

Tabuľka objednávacích čísel

POPIS	OBJ. ČÍSLO
Súprava nástenného rámu a IL900070-B pre IL900070-B	IG713708
Voliteľné príslušenstvo	
Plugs 6/5 44mm for counter (PU=1 piece)	IL900309
Plug-in counter bar 50A for Vienna, Tyrol and Styria Smart Meter Terminal 3pole +2N, Test overload current 80A for 1h, Power loss 3,3W at 50A over all three phases, 400VAC, 50Hz, Conductor Material Copper 2,5-16mm ² , flexible with crimped ferrule, Material Terminal Inserts from coated Copper, RoHS konform, OVE R21:2019	IL900189
Plug-in counter bar Netz NÖ 63 A, 3-pole+2N, 6-25 mm ² bez tarif. Pripojenia	IL900169-A
Plug-in counter bar VKW 80 A, 3-pole + 1 N, 6-35 mm ² 6-35mm ² , bez tarif. pripojenia	IL900188-A
Plug-in counter bar pins 63A, 44mm, PU=7 pieces	IL900190
Cover for Plug-in counter bars for Plug-in counter Terminals IL900189-- The release handle is used to release the springs in the meter terminal, allowing the meter to be inserted or removed. Made of robust IL90029E polyamide.	IL900191
Plug-in counter bar Wiener Netze 50 A, 1-pole+2N, 6-25 mm ² 6-25mm ² , s tarif. pripojením	IL900478
Plug-in counter bar KNG 80 A, 3-pole + 1 N, 6-35 mm ² 6-35mm ² , bez tarif. pripojenia	IL900555-A
4-polige Zähleranschlussklemme EVN, 50A, 10-16mm ² , grün	IL900196
Elektromerová svorkovnica 4-pólová Wienstrom, zelená	IL900496
Plug-in counter bar ADOCK 1-pole + 2N	IL900282
Plug-in counter bar ADOCK 3-pole + 2N Pripojenie v spodnej alebo zadnej časti	IL900284
Meter connecon terminal 1P+2N, for Tyrol and Styria Pripojenie v spodnej časti	IL900350
Cover for connection terminal 1P+2N, for Tyrol and Styria für Steiermark und Tirol	IL900351
Meter connecon terminal 3P+2N, for Tyrol and Styria Pripojenie v spodnej časti	IL900352
Cover for connection terminal 3P+2N, for Tyrol and Styria für Steiermark und Tirol	IL900353
ADOCK terminal cover for 3-phase power meter IL900352 max. 60A, according to DIN 43857	IL900357
Cover for ADOCK connection terminal 1P+2N, Upper Austria for IL900282	IL900560

Tabuľka objednávacích čísel

POPIS	OBJ. ČÍSLO
Voliteľné príslušenstvo	
Cover for ADOCK connection terminals 3P+2N, Upper Austria for IL900284, IL900285, IL900286, IL900287, IL900289	IL900561