

Dátový list pre produkt: LID15489--

Marra LED pás 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m

Vyžaduje 24V DC LED napájač



Produktové informácie

Slim Flexible LED light strip, with SMD2110 LEDs, 700LEDs/meter, 24W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 1 cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.


Technické informácie

Farba svetla	teplá biela
Teplota chromatickosti (Kelvin) (K)	3000
Index podania farieb (Ra)	≥90
Stmievanie	stmievateľné záleží od LED napájača
Trieda ochrany	III
Krytie	IP20
Trieda energetickej účinnosti (platná od 01.09.2021)	F
Energetická trieda ECC	F
Typ svietidla	LED pás
Svetelný zdroj integrovaný	áno
Patica svietidla	LED čip

Technické informácie - Pokračovanie

Merný výkon (lm/W)	85
Ovládanie a napájanie	musí sa objednať samostatne
Prevádzkové napätie DC (V)	24
Vstupné napätie DC (V)	24
Montáž	prisadená na strop na podlahu nástená
Voliteľné príslušenstvo	LID16949--
Lumen / m (lm/m)	2050

Rozmerový obrázok: Marra LED pás 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m



Tabuľka objednávacích čísel

POPIS	OBJ. ČÍSLO
Marra LED pás 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m Vyžaduje 24V DC LED napájač	LID15489
Voliteľné príslušenstvo	
Rozpojiteľná svorka 32A 2x3 vstupy 26 ACCES&GADGETS	LID16949