

Dátový list pre produkt: QLPOI5001-

# PoE+ Injektor (802.3at), Gigabit, interné napáj., 60W

1 x 10/100/1000Base-T RJ45 Input Port, 1 x 10/100/1000Base-T RJ45 PoE Output Port



## SCHRACK-Info

QLPOI5001- is a single port, high-power 60W PoE PSE solution for remote PoE PD devices.

Generating up to 60W through 8 pins, QLPOI5001- supplies remote power for new applications such as wireless access points, pan-tilt-zoom (PTZ) IP cameras, lighting, panel display for digital signage and video-phones.

It complies to IEEE 802.3bt PoE++ standards to deliver 60W on both end-point and midspan pairs with a total power of 60W PoE output. It can work with 10/100Base-T networking devices and emerging 1000Base-T devices such as Wi-MAX and wireless IEEE 802.11n access points.

### Key-Features

- Automatic detection and protection of non-standard PoE devices
- IEEE-802.3af / at PoE compliant for easy use and installation
- Total PoE power: 60 W, up to 60W per port

### TECHNICAL DATA

- Standards & Protocols:
  - IEEE 802.3at/af
- Plug:
  - RJ45 CAT5E/6
- Indicator:
  - Power, Mode A, Mode B

- Pin assignment and polarity:
  - 1,2(-),3,6(+) and 4,5(+),7,8(-)
- Power consumption:
  - 100~240VAC
- Power:
  - 56VDC
- Energy consumption:
  - Less than 2W
- Data rate:
  - 10/100/1000Mbps

#### Features

- General:
  - 1-port GigE Ultra PoE Injector
- PoE:
  - 60w PSE

#### Environment

- Temperature:
  - 0-40°C

#### Physical Data

- Dimensions (W x D x H):
  - 180 x 71 x 37 mm
- Weight:
  - 530g

#### Reliability

- MTBF:
  - 80.5khours

#### Approval and Compliance

- Housing:
  - RoHS

#### Order Information

- QLPOI5001- Gigabit PoE Injector, 60W, 802.3at/af PoE

#### Package Contents

- QLPOI5001-
- Power cable

## Technické informácie

|            |               |
|------------|---------------|
| Šírka (mm) | 180,00        |
| Výška (mm) | 37,00         |
| Hĺbka (mm) | 71,00         |
| EAN kód    | 4015867199466 |

## Technické informácie - Pokračovanie

|                          |                 |
|--------------------------|-----------------|
| Min. teplota okolia (°C) | 0               |
| Max. teplota okolia (°C) | 70              |
| Produkt                  | PoE injector    |
| Rýchlosť                 | 10/100/1000Mbps |

## Tabuľka objednávacích čísel

| POPIS                                                                                                                                      | OBJ. ČÍSLO |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PoE+ Injektor (802.3at), Gigabit, interné napáj., 60W<br>1 x 10/100/1000Base-T RJ45 Input Port, 1 x 10/100/1000Base-T RJ45 PoE Output Port | QLPOI5001  |